			Protectio	on. Precisi	on Engir		1	
Declaration #	C12	214003			Dec	laration Date		10.16.14
Tested Item #	8156			6' Rop	pe Res	traint La	nyard	
Additional Item	s Conforming	g Under this	Declaratio	n:				
8153	8154	81533	8154	13	81563	8156310		
Alexander		irements c	of the fol	-	erforma	d above is ir nce standar		nity with
C	the requ	irements c A	of the fol	Iowing po 359.3-2	erforma 007 nce with		d(s):	nity with
	the reque	irements c A	of the fol NSI Z3 Method in Leve	Iowing personal second areas and accordar	erforma	ANSI/ISEA 12	d(s): 25-2014	
C	the request onformity As Level 1	irements o	Method in Level 2: Within	Iowing po 359.3-2	b of	ANSI/ISEA 12 Level 3 Level 3: In	d(s): 25-2014 depender accredite] it 3rd Party Lab
Level 1: Fa Outside the	the request onformity As Level 1	ssessment r	Method in Level 2: Within	10 wing points 359.3-2 h accordar 1 2 X FallTech Lat the Scope of	b of	ANSI/ISEA 12 Level 3 Level 3: In	d(s): 25-2014 depender accredite] It 3rd Party Lab d to
Level 1: Fa Outside the ISO/IEC Standar Supporting Documentation	the request onformity As Level 1	irements of A ssessment M 5 ISA	Method in Level 2: Within	10 wing points 359.3-2 h accordar 1 2 X FallTech Lat the Scope of	b of	ANSI/ISEA 12 Level 3 Level 3: In	d(s): 25-2014 depender accredite] It 3rd Party Lab d to



Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-0333	10/16/14	8156	6' Single Leg Restraint Lanyard	2053577, & 2053547	Pass

Test Witness Signature:	(Signed for and on behalf of Exova-OCM)	~
Robert Fortner Technician Mechanical Laboratory	Robert Fortan	067 067
Approval Signature:	(Signed for and on behalf of Exova-OCM)	
Bruce K. Sauer Technical Director	Have Kom	DOG DOG
Approval Signature:	(Signed for and on behalf of Exova-OCM)	004
Thomas J. (Tom) Parsons Manager Quality / Technical Services	Ja De arons	(BOSH) (BEAPERDER)

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Testing Laboratory Attestation Number: 340917-1 Revision Letter: Original Page 2 of 2





1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 7520060 www.falltech.com

FallTech Test Report								
Test Report Number	PC-0333	Date	10/16/2014	Rev	Rev Date			
Report Prepared For	FallTech							
Initiated By	Dan Redden Test Specification ANSI Z359.3-2007 4.2.2.1, 4.2.2.3							
Base Part #	8156 Description 6' Single Leg Restraint Lanyard							
Proposed Part #	N/A	Build By V	Whom	Production	BOM	No		
Test Request #	PC-0333	Date Rece	eived	9/9/2014	Date Complete	9/10/2014		
Test Operator	Yesbet Sierra	Test Oper	ator	Dan Redden				

Material/Sample Identification				
Sample ID	Description	2.5		
2053577	Single Leg Restraint Lanyard			
2053547	Single Leg Restraint Lanyard			

Test Summary						
Test Specification	Te	st Criteria	Test Result	Pass/Fail		
ANSI 2359.3-2007 4.2.2.1	Static Strength	≥5000 Lbf for ≥120 Seconds	5095.8 Lbf	Pass		
ANEL 7350 2 2007 4 2 2 2	Dynamic Strength	300 Lb Test Weight, 48" Free Fall	Did Not Break	Pass		
ANSI Z359.3-2007 4.2.2.3	Dynamic Strength	Retain Test Weight for ≥60 Seconds	Held	Pass		

Conclusion

FallTech P/N 8156 Restraint Lanyard meets the requirements of ANSI Z359.3-2007.

	Report Sig	natories and Approval		
Lab Quality Manager Dan Redden	Dan Redden	Digitally signed by Dan Redden DN: cn=Dan Redden, o=FallTech, ou, email=dredden@falltech.com, c=US Date: 2014.10.20 10:39:19 -07'00'	Date	
Witnessed by	Robert For	tu	Date	12-09-14
		Olo T		

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communique dated January 2009).

